



## 使用指南-使用者版



# 目 錄

單元一、帳號啟用方式.....	2
單元二、更改帳號資訊和密碼.....	6
單元三、更改平台設定選項.....	7
單元四、上傳比對文稿.....	9
單元五、分享資料夾.....	12
單元六、解讀比對報告-文件檢視模式(Document Viewer).....	13
單元七、解讀比對報告-純文字模式(Text-Only Report).....	18
單元八、文件對文件比對.....	23
單元九、系統安全需求.....	27
單元十、常見問題 Q&A.....	29



## 單元一、帳號啟用方式

請先向管理者申請 iThenticate 帳號，需提供部門/姓名/Email，您將會收到以下啟用通知信：

### <英文啟用通知信範本>

From: noreply@ithenticate.com [mailto:noreply@ithenticate.com] ↵  
Sent: Thursday, August 14, 2014 7:09 PM↵  
To: Tracy Huang  
Cc: sales@ithenticate.com↵  
Subject: Account created for "XXXX University" ↵  
↵  
Welcome Tracy Huang  
↵  
Your iThenticate account has been created.↵  
↵  
Your account has a start date of 2014-08-18 and will be active until 2014-09-18.↵  
↵  
To begin using iThenticate please visit↵  
↵  
[https://app.ithenticate.com/en\\_us/login](https://app.ithenticate.com/en_us/login)↵  
↵  
You will log in using the following information:↵  
↵  
Login: tracy.huang@XXXX.com  
Password: Sycusaemare↵  
↵  
You will be required to change this password when you log in.↵  
↵  
For help getting started with iThenticate log into your account and click on the Help button at the top right of the page.↵  
↵  
Thanks for signing up!↵  
↵  
iThenticate Support Team↵  
ithsupport@ithenticate.com↵



## <中文啟用通知信範本>



步驟 1: 登入網址: [www.ithenticate.com](http://www.ithenticate.com)，於右上角點選 [ Login ]

步驟 2: 依序輸入 Email 和信件中的一次性密碼，然後按 [ Login ]

The image shows the iThenticate website interface. At the top, the navigation menu includes "Products", "Content", "Customers", "Resources", and "About". The "Login" link is circled in red. Below the navigation is a large banner with the text "Prevent Plagiarism in Published Works" and buttons for "Buy Credits" and "Get a Quote". A computer monitor displays a sample report from iThenticate. On the right side, there is a "Login" form with fields for "Email" and "Password". A yellow arrow points to the "Password" field. Below the password field is a "Remember me" checkbox and a green "Login" button.



步驟 3: 登入後，系統會顯示使用者協議，瀏覽後若您同意請點選「我同意這些條款」並按 [ 提交 ]

**iThenticate**

您必須先同意這些條款才能繼續。

**重要通知：**

本網站和相關服務均按照此條款和條件提供。請仔細閱讀以下資訊。您繼續使用本網站則表示您同意接受以下條款與條件的約束。如果您不同意本條款與條件，請立即離開此網站。

iThenticate (本“網站”)及其服務由 iParadigms 有限責任公司 (“iParadigms”) 進行維護，並在您 (“您”或“使用者”) 接受此處所列未經改動的條款、條件以及通知 (“使用者協議”) 的前提下向您提供上述網站與服務。透過按一下下方的“我同意這些條款”按鈕並提交此表格，您：(1) 表示您已閱讀並理解，並且有能力和權利達成此使用者協定；以及 (2) 同意接受其所有條款與條件的約束。您應仔細檢查此使用者協定。如果您違反使用者協議，您使用本網站的權利可能自動終止。

**服務範圍**

本網站提供特定的軟體 (“得到許可的程式”)、文件編制及服務、以及其他內容、資料、影像、資訊與其他材料 (統稱“服務”)，允許授權的機構 (“客戶機構”) 和個人 (“客戶”) 檢查文字成果是否與網際網路可用資源和 iParadigms 自己專有的資料庫之間存在可能的文字相符。

我已閱讀以上條款與條件並

我同意這些條款

我不接受以上條款

[提交](#)

隱私政策 | 使用政策 | 支援 | 擴充 | 聯絡

版權 © 1998-2018 Turnitin 有限責任公司。保留所有權利。

步驟 4: 「目前密碼」處請輸入系統啟用通知信上的一次性密碼；「新密碼」處請重新設定您的專屬密碼，密碼至少需要 9 個字元，包含英文字母與數字。按下 [ 更改密碼 ] 完成設定

**重設密碼**

在繼續下一步之前，您必須更改密碼。

輸入您現在的密碼

目前密碼 \*

..... 請輸入系統寄送歡迎信上的一次性密碼 ✓

選擇一個新密碼

新密碼 \*

..... 至少需要9個字元，包含英文字母與數字 ✓

重新輸入您的新密碼

確認新密碼 \*


..... ✓

[更改密碼](#)

\***小提醒**：若忘記密碼或登入時出現錯誤提示，請於首頁登入處點選 [ [Forgot password](#) ]，再輸入


當初申請 Email 信箱，系統將寄送重設密碼信件給您。





## 單元二、更改帳號資訊和密碼

1. 登入 iThenticate 後,在主畫面上方工具列,請點選[Account Info]更改帳號資訊



2. 請在下方欄位輸入使用者基本聯絡資訊、密碼，新的帳號密碼一旦更改將立即生效

 Account Settings

若為方便貴單位管理，建議可改設定如下：

**My Profile**

**First Name** .  
Tracy 建議輸入完整中文/英文名字

**Last Name** .  
Huang 建議輸入所屬部門名稱或是身分別[院別/系所部門/老師/博碩士]

**E-Mail** .  
tracy.huang@igrouptaiwan.com 建議輸入使用者的機構電子郵件信箱

**Upload a photo**  
 未選擇檔案 .

**Current Password**  
..... 輸入原始密碼輸入新密碼

**Change Password**  
 再次輸入新密碼

**Confirm Password**  
 輸入新密碼

\***小提醒**：新密碼至少需要 9 個字元，包含英文字母與數字。



## 單元三、更改平台設定選項

在上方工具列，請點選[Settings]，在[General 綜合]頁籤下，可以選擇平台語言，共 12 種語言選擇，預設值為英文，可選擇[繁體中文]，按下[Update Settings 更新設定]套用新設定。

在[Documents 文件]頁籤下，可以設定檔案排序方式和更改分數顏色百分比。

**檔案排序方式：**分別可按檔案[處理日期/文件標題/相似度分數/文件作者]去做排序；

**更改分數顏色百分比：**當報告相似百分比%超過此設定值，色籤將會由灰色變橘色作提醒





在[Reports 報告]頁籤下，管理者可以設定相似報告是否要作提醒警示，詳細設定請自行參考下方:

設定

綜合 文件 報告

### 電子郵件通知

報告超出下方指定的閾值時，使用這些設定接收通知。您可以為相似度報告和內容追蹤報告設定不同的閾值。只有當報告超出您在下方所設閾值時，才會向您傳送電子郵件。

選擇向您傳送報告（如果有）的頻率  
傳送報告的頻率不得超過

一天一次

相似度分數超過此百分比時傳送通知。  
相似度報告閾值

不要通知我

至少有一個來源與此百分比相符時傳送通知。  
內容追蹤報告閾值

不要通知我

---

選擇檢視報告時初次打開的報告類型  
默認報告視圖

相似度報告

相似度報告可以使用顏色代碼幫助檢視相符  
顏色代碼報告

是  
 否

### 可用文件存儲庫

將把文件與這些儲存庫進行對比。您可以透過調整各個資料夾的設定來選擇儲存庫的子集。

- Crossref
- Crossref Posted Content
- 網際網路
- 出版物


更新設定 取消



## 單元四、上傳比對文稿

步驟1: 登入後，左側會看到您專屬的文件櫃 [My Folders 我的資料夾] 和檔案夾 [My

Documents 我的檔案]



步驟 2: 如果您想新增新的文件夾或文件群組，可以在右側下方點選 [New Folder 新資料夾]及

[New Folder Group 新資料夾群組]去命名新增資料夾



步驟 3: 選擇左側[My Documents 我的檔案]資料夾後，於右側[提交一份文件 Submit a

document]點選上傳檔案：



\*iThenticate 每比對 25,000 字會消耗 1 篇上傳數(submission/document)

1. Upload a File 上傳檔案: 逐次上傳單一檔案

2. Zip File Upload 壓縮檔案上傳: 上傳 ZIP 壓縮檔

3. Cut & Past 剪貼:上傳剪貼文章

4. Doc-to-Doc Comparison 文件對文件比對:

上傳文章相互比對；上傳一篇來源文稿後最多可上傳五篇其他文稿與該來源文稿比對

上傳檔案格式限制:

1. 每一檔案需小於 100 MB

2. 文件頁數最多至 800 頁

3. 文字內容至少要有 20 字以上

4. 純文字內容不可超過 2 MB

步驟4: 選取文稿上傳方式後，依序輸入文件標題、作者姓名等，上傳檔案後，點選[Upload上傳]



步驟5：回到文件夾後，在Report 看到百分比，即表示比對報告已產出

中文 文件 分享 設定 第 1 頁，共 1 頁

標題	報告	作者	已處理 ↓	操作
標典翻譯家 1 part - 8,237 words	9%	Tanya Lin	2016年3月25日 下午4:38:30	
華之綠豆食物 1 part - 8,437 words	6%	Tanya Lin	2016年3月12日 上午12:42:30	
臺灣民間網絡媒體之調查研究 1 part - 8,132 words	96%	Tanya Lin	2016年3月12日 上午12:23:26	
臺灣大學圖書館多學科跨領域應用效益分析研究 1 part - 10,218 words	10%	Tanya Lin	2016年3月11日 下午11:53:16	
手機電腦應用 1 part - 888 words	7%	Tanya Lin	2015年4月27日 下午10:04:55	

第 1 頁，共 1 頁


按下 可刪除文稿， 則可重新編輯文稿標題與作者姓名



## 單元五、分享資料夾

請先點選欲分享給其他人的資料夾名稱後，再點選右邊的[分享 Sharing]頁籤，勾選欲要分享的人名，即可分享該資料夾

**(備註：若使用者有需要分享資料夾功能，必須先請管理者將此功能開啟)**



The screenshot shows a web interface for file sharing. At the top left, there is a folder icon and the text "我的檔案". On the top right, there are three tabs: "文件", "分享" (which is highlighted in blue), and "設定". Below the tabs, there is a section titled "分享" containing a list of names, each preceded by a small square icon:

- Judy Chiu
- Jyothi Yadav
- kaiteng lan
- karen chen
- Karen Chen
- karishma gupta
- kartika wardani
- Kazuhiro Kido
- Kazuki K
- Kazuo Katoh



## 單元六、解讀比對報告-文件檢視模式(Document Viewer)

2016年08月16日 09:28AM 4160 個字 • 157 相符 • 79 來源

iThenticate 2003doc 包括的可信 44% 包括參考書目

**上傳文稿原文**

**相似內容總覽**

Rank	Source	Similarity
1	Crossref 289 個字 Liu, X.H., "Heat and mass transfer model of cross flow liquid desiccant air dehumidifier/regenerator", Energy Conversion and Management	5%
2	Crossref 97 個字 Kim, Min-Hwi, Joon-Young Park, and Jae-Weon Jeong, "An analytical model for packed-bed tower regenerator in a liquid desiccant dehumidification system", Applied Thermal Engineering	2%
3	Crossref 95 個字 Liu, X.H., "Analytical solution of combined heat and mass transfer performance of a cross-flow packed-bed liquid desiccant dehumidifier/regenerator", Applied Thermal Engineering	2%
4	Crossref 88 個字 Luo, Yimo, Hongxing Yang, and Lin Lu, "Dynamic and multi-scale simulation of the counter-current flow in a liquid desiccant dehumidifier", Applied Thermal Engineering	2%
5	網際網路 89 個字 於 2016年05月24日 線上進行 ecommons.usask.ca	2%
6	Crossref 81 個字 Rahimi, Amir, and Davoud Babakhani, "Mathematical modeling of a packed-bed air dehumidifier: The impact of emulsion", Applied Thermal Engineering	2%
7	Crossref 73 個字 Koronaki, I.P., R.I. Christodouleki, V.D. Papaefthimiou, and E.D. Rogdakis, "Critical review of coupled heat and mass transfer in a dehumidification system", Applied Thermal Engineering	1%
8	Crossref 63 個字 Hesamoddin, "Study of the Heat and Mass Transfer in a Dehumidification of Liquid Desiccant", Applied Thermal Engineering	1%

**相似來源清單**

5 4 3 2 1

純文字報告


文件檢視工具畫面說明(左欄為上傳文稿原文，右欄為相似來源清單)：

- (1) 原創性比對結果，數字越大表示相似度越高(亦即原創性越低)，數值來自下方比對資源的加總(偶有小誤差係因小數位進位)；
- (2) 依照不同的來源，系統會將原文以不同顏色標示  
(例：左欄紫字部分與右欄紫字資源內文重複)；
- (3) 切換至純文字報告檢視模式；
- (4) 由左而右依序為
  - a. 檢視來源 - 即畫面上方比對資源清單；
  - b. 篩選條件設定 - 將引用、參考書目以及小型相似度篇幅的定義作進階設定；
  - c. 顯示和排除特殊來源設定；
- (5) 可 下載PDF 格式的原創性報告。




## [瀏覽比對來源]


1. 滑鼠點選左邊視窗有數字符號，會彈跳出一小視窗，可互相對照相似處內容



2. 點選小視窗內標題或網址連結可外連至來源網頁



3. 若比對來源類型為[網際網路 Internet]，按下右方[完整來源檢視 Full Source View]按鈕則會將來源文字顯示至右方窗格，並將文稿與此來源相似文字標色，利於進行較大範圍比對。



## [排除設定]

1. 滑鼠點選 ，勾選不含[引用資料]或是[參考書目]或是輸入某字數以下或是某%以下小型相符結果，皆不列入相似度%計算：

(1) [不含引用資料 Exclude Quotes]：支援排除使用以下符號 "... " «...» „... “ 〈...〉 『...』 「...」 之引述字句；


不支援以下如：'...' (...)

(2) [不含參考書目 Exclude Bibliography]：排除以「Reference(s)」、「參考文獻」、「參考書目」此字為標題開始的書目章節，請見[此處](#)參考詳細適用標題清單。

(3) [排除比下列數值還小的來源 Exclude sources that are less than]：

來源若少於總字數 XX 或是 XX%，相似報告就忽略不計算。


在<所有資源>  報告：只顯示高於(含)XX 字或 XX%來源

在<相符內容總覽>  報告：無法明確只顯示高於 XX 字或 XX%來源，因為相似來源可能含有彼此重複字詞，會影響到%計算的呈現方式

(4) [不含少於此數目的相符結果 Exclude matches that are less than]：

被標註的套色段落文字少於 XX 字，相似報告就忽略不計算。

2. 亦可排除文章以[Abstract]為標題的摘要段落內容；或是排除文章中以[Method(s) / Material(s)]為標題的方法/材料內容。




The screenshot shows the iThenticate software interface. At the top, it displays the date and time (2016年08月16日 09:33AM), the document name (word2003-2), and the similarity percentage (54%). The main area shows a list of search results with columns for rank, title, author, and similarity percentage. A red circle highlights the 33% similarity percentage in the '相符內容總覽' (Summary of Similar Content) section. A yellow arrow points to the '套用變更' (Apply Changes) button in the '篩選條件與設定' (Filter Settings and Settings) panel on the right. The panel includes options for excluding quotes, bibliographies, and sources with fewer than a certain number of characters or percentage of the total text.

Rank	Title	Author	Similarity
1	Removal of formaldeh	Groserref 295 個字 Wang, Zhiqiang, Jingjing Pei, and Jianshun Zhang. "Cataly... oxidization of indoor formaldehyde at room temperature -- Eff	10%
2	網際網路	網際網路 164 個字 於 2009年02月02日 緩慢進行 ai.uga.edu	6%
3		Groserref 158 個字 Shiue, A., "Vapor adsorption characteristics of toluene in an a ctivated carbon adsorbent-loaded nonwoven fabric media fc...	6%
4	Angus Shiue <sup>a,*</sup> , Chen-Yang Wu <sup>b</sup>	Groserref 149 個字 Yu, C. W. F., and J. T. Kim. "Photocatalytic Oxidation for Me... tenance of Indoor Environmental Quality", Indoor and Built En	5%
5	Kao <sup>b</sup> , Kai-Feng Wang <sup>c</sup>	Groserref 132 個字 Kastner, James R., Keshav C. Das, Cheng Hu, and Ron McCl endon. "Effect of pH and Temperature on the Kinetics of Od...	5%
6		出版物 31 個字 Kastner, James R., Das, Keshav C. Hu, Che. "Effect of pH an d temperature on the kinetics of odor oxidation using chlorin...	1%
7	<sup>a</sup> Department of Energy and R Taipei University of Technolog	Groserref 13 個字 J. R. Kastner, C. Hu, K. C. Das, and and R. McClendon. "KI NETICS AND MODELING OF ODOR OXIDATION USING C	<1%
9	<sup>b</sup> Department of Vehicle Engin		






## [排除某特定相似來源]

步驟 1：滑鼠點選某一相似處來源右方箭號 

步驟 2：點選[不含來源 Exclude Sources]

步驟 3：勾選欲排除的來源選項



2016年08月16日 00:28AM 4160 個字 • 157 相符 • 79 來源 常見問題

iThenticate 2003doc 經由 薛老師 北科 包括的引述 44% 包括參考書目

相符內容總覽

1	Crossref 289 個字 Liu, X.H., "Heat and mass transfer model of cross flow liquid desiccant air dehumidifier/regenerator", Energy Conversi...	5%
2	Crossref 97 個字 Kim, Min-Hwi, Joon-Young Park, and Jae-Weon Jeong, "Imp...	2%
3	Crossref 95 個字 Liu, X.H., "Analytical solution of combined heat and mass tr...	2%
4	Crossref 89 個字 Luo, Yimo, Hongxing Yang, and Lin Lu, "Dynamic and m...	2%
5	網際網路 89 個字 於 2016年05月24日 緩慢進行 ecommons.usask.ca	2%
6	Crossref 81 個字 Rahimi, Amir, and Davoud Babakhani, "Mathematical mod...	2%
7	Crossref 73 個字 Koronaki, I.P., R.I. Christodoulaki, V.D. Papezthimiou, and E.D. Rogdakis, "Critical review of coupled heat and mass tr...	1%
8	Crossref 63 個字 Salarian, Hesamoddin, "Study of the Heat and Mass Tra...	1%



2016年08月10日 00:28AM 4160 個字 • 6 相符 • 79 來源 常見問題

iThenticate 2003doc 經由 薛老師 北科 包括的引述 44% 包括參考書目

相符處分析

5 網際網路 89 個字  
於 2016年05月24日 緩慢進行  
ecommons.usask.ca 2%

符合 1 中的 6


- 網際網路 - 2 個來源 89 個字  
於 2016年05月24日 緩慢進行  
ecommons.usask.ca 2%
- https://ecommons.usask.ca/bitstream/handle/10388/ETD... 1%
- https://ecommons.usask.ca/bitstream/handle/10388/ETD... 1%
- Crossref 36 個字  
Abdel-Salam, Ahmed H., and Carey J. Simonson, "State-of-the-art in liquid desiccant air conditioning equipment an..." 1%
- Crossref 36 個字  
Liu, X.H., "Handling zone dividing method in packed bed ... quid desiccant dehumidification/regeneration process", En... 1%
- Crossref 34 個字  
Christodoulaki, Roza I., Emmanuil D. Rogdakis, and Irene P. Koronaki, "Hybrid Liquid Desiccant/Vapour Compressio..." 1%
- 網際網路 34 個字  
於 2016年03月29日 緩慢進行  
www.sersc.org 1%

不含來源


排除 (2) 取消



## [還原排除設定]

滑鼠點選右下角 ，勾選欲還原之前排除來源選項，按下[還原 Restore]或[還原一切 Restore

All]，即可還原回來之前排除選項



The screenshot shows the iThenticate interface for a document named '2003doc'. The document is 44% similar. A panel titled '排除來源' (Exclude Sources) is open, showing two internet sources. The first source is checked, and a red box highlights its checkbox. A yellow arrow points to the '還原 (1)' (Restore (1)) button. The bottom right corner of the software interface has a red box around the 'Exclude' icon.



## 單元七、解讀比對報告-純文字模式(Text-Only Report)

The screenshot displays the iThenticate Professional Plagiarism Prevention interface. At the top, it shows the document name '2003.doc', the date and time '截至: 2016年8月16日 上午9:30:21', and the statistics '4,160 words - 157 matches - 80 sources'. A similarity index of 44% is prominently displayed in a yellow box. The interface is divided into several sections: a file viewer on the left, a sidebar with report options, a main report area with a list of sources, and a top navigation bar with filter options and a print icon. Numbered callouts 1-6 highlight specific features: 1. Similarity index (44%), 2. Source list item, 3. Filter options, 4. File viewer, 5. Report options menu, 6. Print icon.

純文字檢視模式畫面說明(左欄為上傳文稿原文，右欄為相似來源清單)：

- (1) 原創性比對結果，數字越大表示相似度越高(亦即原創性越低)，數值來自下方比對資源的加總(偶有小誤差係因小數位進位)；
- (2) 框內數字1至5代表相似比例排序，可按右側X忽略掉該來源，系統將自動重新整理相似比例；
- (3) 可排除[引用資料(「...」)/參考書目(Reference)/小的來源/小型相符結果]所佔的比例；
- (4) 可切換回文件檢視工具模式；
- (5) 提供4種報告模式，分別是[相似度報告/內容追蹤/摘要報告/最大相符]形式；

### 相似度報告(Similarity)：

為預設值，顯示「最佳化」相似度報告，可能會刪除一些來源之間重複字句；

### 內容追蹤(Content tracking)：

完整顯示每一來源有重複的字數，即使不同相似來源，只要有重複字數皆計算%；

### 摘要報告(Summary)：

隱藏被不同顏色標註的原文內容，只顯示最佳化相似來源字數和%；

### 最大相符(Largest Matches)：

按照重複比例高低，逐一顯示最大相似來源，若相似來源間彼此有重複，須扣除曾重複出現的字數後再計算%和排列相似度高低



(6) 可下載html 格式的原創性報告。



## 純文字報告畫面範例 - Similarity Report

The screenshot shows the iThenticate Professional Plagiarism Prevention interface. The title is "The Differences Between Reporting Modes" by Mark Rickson. It indicates the document is 400 words long with 2 matches from 2 sources. A "Similarity Index" box shows 50%. The report mode is set to "Similarity Report".

This document will help clarify the differences

1 between the iThenticate report viewing modes. There are 4 modes but only 3 of them display different views. The summary report and the similarity report are identical except for the fact that the summary report does not display sources side-by-side with the document and instead displays the matching sources above the document. The Similarity Report is the default mode in which to view an iThenticate report. The Similarity Report basically shows you the best matches to sources in our repositories for the document. Even if the matches may be the best matches our system identifies it does not by any means mean that they are the only sources found for those particular matches or that the whole source's matching text

is displayed. For example let's say that a document is 400 words long and that Source A has 2 matches found for the document of 120 words and 40 words, so source A technically matches to 40% of the document.

2 Let's say that there is a second source that has a single match of 80 words to the document that contains the same 40 words of Source A's second match. Source B would be considered to match 20% of the document but the similarity report finds the best matches so it would display match 1 (120 words) from Source A and match 1 (80 words) of Source B. Source A would be displayed as a 30% match to the document

since its second match is contained in a larger better match from Source B. The content tracking mode using the same source information in the previous example would show two sources in the source list, revealing the total matching words and match percentage for each source. Source A would show 160 words and 40% similarity, while Source B would show 80 words and a 20%

例如:  
本文檔長度為400個字,  
來源A含有120個字和40個字兩筆和本文相似的文檔,  
來源B有80個字和本文相似,  
但其中40個字和來源A的第二個40個字文檔一樣,  
則報告會顯示:  
來源A有120/400=30%,  
來源B有80/400=20%;  
因為來源B相似字數大於來源A第二個文檔

## 純文字報告畫面範例 - Summary Report

The screenshot shows the iThenticate Summary Report interface. It lists three sources:

- 46 words / 17% - Internet from 13-Dec-2014 12:00AM  
[en.wikipedia.org](http://en.wikipedia.org)
- 36 words / 13% - Internet from 17-Jun-2009 12:00AM  
[animals.nationalgeographic.com](http://animals.nationalgeographic.com)
- 29 words / 11% - Internet from 08-Mar-2016 12:00AM  
[ggaunews.com](http://ggaunews.com)

The Goliath of the Sea Blue Whale - Balaenoptera musculus The majestic blue whale, the goliath of the sea, certainly stands alone within the animal kingdom for its adaptations beyond its massive size.

At 30 metres (98 ft) in length and 190 tonnes (210 short tons) or more in weight, it is the largest existing animal and the heaviest that has ever existed.

Goliath is not only the physical embodiment of a giant, but also a symbol of the brute forces of nature. Despite their incomparable mass,

aggressive hunting in the 1900s by whalers seeking whale oil drove them to the brink of extinction.

But there are other reasons for why they are now so endangered. The blue whale's common name



## 純文字報告畫面範例-Content Tracking Report:

Folder: Report video documents
Jump to: The Differences Between Rep... - 50%

### The Differences Between Reporting Modes

By: Mark Rickson  
As of: Tue May 29, 2012 03:06pm PDT  
400 words - 2 matches - 2 sources

**Similarity Index**  
50%  
show xml source

Mode: Content Tracking

[Exclude Quotes](#)
[Exclude Bibliography](#)
[Exclude small matches](#)

This document will help clarify the differences

## Source A

between the iThenticate report viewing modes. There are 4 modes but only 3 of them display different views. The summary report and the similarity report are identical except for the fact that the summary report does not display sources side-by-side with the document and instead displays the matching sources above the document. The Similarity Report is the default mode in which to view an iThenticate report. The Similarity Report basically shows you the best matches to sources in our repositories for the document. Even if the matches may be the best matches our system identifies it does not by any means mean that they are the only sources found for those particular matches or that the whole source's matching text

is displayed. For example let's say that a document is 400 words long and that Source A has 2 matches found for the document of 120 words and 40 words, so source A technically matches to 40% of the document.

Let's say that there is a second source that has a single match of 80 words to the document that contains the same 40 words of Source A's second match. Source B would be considered to match 20% of the

document but the similarity report finds the best matches so it would display match 1 (120 words) from Source A and match 1 (80 words) of Source B. Source A would be displayed as a 30% match to the document since its second match is contained in a larger better match from Source B. The content tracking mode using the same source information in the previous example would show two

- 160 words / 40% - Your Indexed Documents  
[Source A.docx](#)  
From: Tue May 29, 2012  
This is source #1 in the Similarity report.  
This source is partially hidden by one or more sources in the Similarity report.
- 80 words / 20% - Your Indexed Documents  
[Source B.docx](#)  
From: Tue May 29, 2012  
This is source #2 in the Similarity report.

例如：  
本文檔長度為400個字，  
來源A含有120個字和40個字兩筆和本文相似的文檔，  
來源B有80個字和本文相似，  
但其中40個字和來源A的第二個40個字文檔一樣，

報告會顯示：  
來源A有  $(120+40)/400=30\%$ ；  
來源B有  $80/400=20\%$ ；

Folder: Report video documents
Jump to: The Differences Between Rep... - 50%

### The Differences Between Reporting Modes

By: Mark Rickson  
As of: Tue May 29, 2012 03:06pm PDT  
400 words - 1 match - 2 sources

**Similarity Index**  
50%  
show xml source

Mode: Content Tracking

[Exclude Quotes](#)
[Exclude Bibliography](#)
[Exclude small matches](#)

This document will help clarify the differences between the iThenticate report viewing modes. There are 4 modes but only 3 of them display different views. The summary report and the similarity report are identical except for the fact that the summary report does not display sources side-by-side with the document and instead displays the matching sources above the document. The Similarity Report is the default mode in which to view an iThenticate report. The Similarity Report basically shows you the best matches to sources in our repositories for the document. Even if the matches may be the best matches our system identifies it does not by any means mean that they are the only sources found for those particular matches or that the whole source's matching text is displayed. For example let's say that a document is 400 words long and that Source A has 2 matches found for the document of 120 words and 40 words, so source A technically matches to 40% of the document.

Let's say that there is a second source that has a single match of 80 words to the document that contains the same 40 words of Source A's second match. Source B would be considered to match 20% of the document but the similarity report finds the best matches so it would display match 1 (120 words) from Source A and match 1 (80 words) of Source B. Source A would be displayed as a 30% match to the document

since its second match is contained in a larger better match from Source B. The content tracking mode using the same source information in the previous example would show two sources in the source list, revealing the total matching words and match percentage for each source. Source A would show 160 words and 40% similarity, while Source B would show 80 words and a 20% similarity. A main difference with the Content Tracking report is that it only shows the matching text within the document for the selected source from the source list. The Largest Matches report mode using the same source example would look for the source with the largest match. Therefore it would display in the source list Source A as a 40% match and display the full 160 words and then show Source B as a 10% match and show the 40 words that does not overlap with Source A.

- 160 words / 40% - Your Indexed Documents  
[Source A.docx](#)  
From: Tue May 29, 2012  
This is source #1 in the Similarity report.  
This source is partially hidden by one or more sources in the Similarity report.
- 80 words / 20% - Your Indexed Documents  
[Source B.docx](#)  
From: Tue May 29, 2012  
This is source #2 in the Similarity report.

## Source B



## 純文字報告畫面範例-Largest Matches Report

Folder: Report video documents

Jump to: The Differences Between Rep... - 50%

**iThenticate**  
Professional Plagiarism Prevention

### The Differences Between Reporting Modes

By: Mark Rickson  
As of: Tue May 29, 2012 03:06pm PDT  
400 words - 3 matches - 2 sources

Similarity Index  
**50%**  
[show xml source](#)

Mode: Largest Matches

Exclude Quotes Exclude Bibliography Exclude small matches

This document will help clarify the differences

between the iThenticate report viewing modes. There are 4 modes but only 3 of them display different views. The summary report and the similarity report are identical except for the fact that the summary report does not display sources side-by-side with the document and instead displays the matching sources above the document. The Similarity Report is the default mode in which to view an iThenticate report. The Similarity Report basically shows you the best matches to sources in our repositories for the document. Even if the matches may be the best matches our system identifies it does not by any means mean that they are the only sources found for those particular matches or that the whole source's matching text

is displayed. For example let's say that a document is 400 words long and that Source A has 2 matches found for the document of 120 words and 40 words, so source A technically matches to 40% of the document.

Let's say that there is a second source that has a single match of 80 words to the document that contains the same 40 words of Source A's second match. Source B would be considered to match 20% of the

document but the similarity report finds the best matches so it would display match 1 (120 words) from Source A and match 1 (80 words) of Source B. Source A would be displayed as a 30% match to the document

1 160 words / 40% - Your Indexed Documents  
[Source A.docx](#)  
From: Tue May 29, 2012

2 40 words / 10% - Your Indexed Documents  
[Source B.docx](#)  
From: Tue May 29, 2012

例如:  
本文檔長度為400個字,  
來源A含有120個字和40個字兩筆和本文相似的文檔,  
來源B有80個字和本文相似,  
但其中40個字和來源A的第二個40個字文檔一樣,  
則報告會顯示:  
來源A有(120+40)/400=40%,  
來源B有(80-40)/400=10%;  
因為來源B相似字數須減掉來源A第二個文檔



## 單元八、文件對文件比對

可相互比對文稿：上傳一篇來源文稿後，最多可上傳五篇其他文稿與該來源文稿比對。  
以上資料並不會存入 iThenticate 資料庫。

步驟 1:於主畫面右側[[提交一份文件 Submit a document](#)]點選[[Doc-to-Doc comparison 文件對文件比對](#)]



步驟 2:輸入來源文稿資訊後從電腦中選擇檔案；檔案需小於 100MB&800 頁。

\*上傳該文稿會從扣除貴機構購買的上傳數(submission/document)，  
每比對 25,000 字消耗 1 篇上傳數





**步驟 3：**從電腦中選擇要與上述文稿比對的檔案，最多可上傳五篇文稿。

系統將以您欲上傳的各檔案名稱作為報告中比對來源的顯示名稱，敬請留意

\*上傳這些文稿不會扣除貴機構購買的上傳數(submission/document)

比較文件

選擇最多五個比較文件，與主要文件比對。

選擇檔案

docx 比較文章1.docx 1.35 MB 上傳檔案名稱會顯示在報告中

docx 比較文章3.docx 15.1 KB

docx 比較文章2.docx 15.4 KB

docx 比較文章4.docx 20.8 KB


**步驟 4：**點選[Upload 上傳]上傳檔案產生報告


**步驟5：**回到文件夾後，會看到該筆上傳紀錄標示為「文件對文件比對」，

在[Report 報告]欄位看到百分比，即表示比對報告已產出，點選相似度開啟報告

<input type="checkbox"/>	標題	報告	作者	已處理 ↓	操作
<input type="checkbox"/>	來源文章 1 part - 445 words - 文件對文件比對	64%	iGroup Taiwan	2022年4月23日 下午11:52:34	



- (1) 相似度報告預設以[所有資源]  模式呈現比對結果，右上角相似度指標代表根據所有比較文稿內容與來源文稿相比的相似程度。
- (2) 報告左側為來源文稿原文，右側列表則為後續上傳文稿各自與來源文稿比較之相似度百分比。
- (3) 於右側列表選取欲瀏覽的比較文章，左側來源文稿與其雷同文字會以紅色套色顯示。



- (5) 可點  選下載PDF 格式的原創性報告。

下載報告左上方呈現綜合比較所有文章的總相似度，下方只顯示欲檢視的單一文章的相似度結果。

**來源文章**

---

原創性報告

64%

相似度指數

---


比較所有來源 (僅列印選中的來源)


<b>★比較文章2.docx</b>	<b>29%</b>
比較文件	

---

不含引用資料	關閉	不含來源	關閉
不含參考書目	關閉	排除相符處	關閉



(6) 若切換為[相符內容總覽] ，則呈現所有比較文章中與來源文稿相似程度最高的文字段落。



The image shows a screenshot of the iThenticate software interface. On the left, under the heading "來源文章" (Source Article) by "IGROUP TAIWAN", there is a paragraph of Chinese text about blue whales. An image of a whale's tail is shown next to the text. On the right, a sidebar titled "相符內容總覽" (Similarity Summary) shows a comparison of 170 words from a document named "比較文章1.docx" with a similarity score of 64%. A red box highlights a button in the top right corner of the sidebar. The bottom of the interface shows a page number "頁數: 1 之 1" and a "純文字報告" (Plain Text Report) option.



## 單元九、系統安全需求

### 系統需求

#### 作業系統

- Windows® 7, 8.1, 10
- Mac OS X Intel v10.7+, El Capitan 10.11
- ChromeOS

#### 硬體需求

- 3GB of RAM or more
- 1024x768 display or higher
- Broadband internet connection
- Internet browser set to allow all cookies from Turnitin.com/TurnitinUK.com
- Javascript enabled

#### 瀏覽器

- Chrome
- Firefox
- Safari
- Microsoft Edge
- 2020/8/31 起，iThenticate 後續產品更新將不再支援 Internet Explorer

### 安全設定

在您的瀏覽器安全網域設定處,請輸入如下兩網址:

- <http://www.ithenticate.com>
- <https://www.turnitin.com>



為了能收到來自 iThenticate 郵件，請您確認如下郵件地址沒有被系統擋住或是歸為垃圾郵件：

- @ithenticate.com
- @turnitin.com
- @turnitinuk.com
- @iparadigms.com

為了能成功使用 iThenticate，請確認您的瀏覽器或是防毒軟體沒有擋住如下網址：

- \*.turnitin.com
- \*.ithenticate.com
- \*.turnitinuk.com
- ssl.google-analytics.com
- ajax.googleapis.com
- cdn.uservoice.com



## 單元十、常見問題 Q&A

### 1. 相符處總覽 (Match Overview) 列表中的來源百分比數值定義為何？

假設：

若文章內容總字數有 1000 字，而報告顯示相似總百分比為 32%，其中有 3 個相似來源，分別是 16%、10%、6%。

#### 第①個來源相似百分比為 16%：

文章中疑似與第 1 個來源相似文字有 160 字，則  $160/1000=16\%$

#### 第②個相似來源相似百分比為 10%：

文章扣除與第 1 個來源相似文字後，剩餘  $1000-160=840$  字再與第 2 個來源相較，疑似相似文字有 100 字和原文一樣，則  $100/1000=10\%$

#### 第③個來源相似百分比為 6%：

文章扣除與第 1 個和第 2 個來源相似文字後，剩餘的  $1000-160-100=740$  字再與第 3 個來源相較，疑似相似文字有 60 字和原文一樣，則  $60/1000=6\%$

#### ● 相似總百分比 32%：

將各相似來源百分比加總起來  $16\%+10\%+6\%=32\%$ ，即是總相似百分比。



Rank	Source	Similarity Percentage
1	網際網路 160 個字 於 2012年01月30日 緩慢進行 efan.tw	16%
2	網際網路 10 個字 於 2015年12月25日 緩慢進行 www.airelibrary.com	10%
3	網際網路 60 個字 於 2016年08月15日 緩慢進行 blog.udn.com	6%



## 2. 所有來源 (All Source) 的來源百分比數值定義為何？

假設：

若文章內容總字數有 760 字，而報告中所有來源相似百分比 13%、13%、8%、7%、6%.....。



每一個來源與原文內容 760 字做**單一相似來源比對**：

- 網址 mobile01.com 的相似百分比為 13%：  
文章中疑似與此來源相似文字有99字，則  $99/760=13\%$
  - 網址 airtlibrary.com 相似百分比為 13%：  
文章中疑似與此來源相似文字有 99 字，則  $99/760=13\%$
  - 網址 sunlight.tw 的相似百分比為 8%：  
文章中疑似與此來源相似文字有 65 字，則  $65/760=8\%$
  - 網址 mirle.com.tw 的相似百分比為 7%：  
文章中疑似與此來源相似文字有 55 字，則  $55/760=7\%$ ...
- 各相似來源百分比**不可以相加**


相似來源	相似百分比
相似來源 - 2 個來源 99 個字 於 2015年12月19日 繼續進行 www.mobile01.com	13%
相似來源 - 3 個來源 99 個字 於 2015年12月25日 繼續進行 www.airtlibrary.com	13%
相似來源 65 個字 於 2015年02月04日 繼續進行 sunlight.tw	8%
相似來源 55 個字 於 2015年02月20日 繼續進行 www.mirle.com.tw	7%
相似來源 47 個字 於 2012年12月19日 繼續進行 www.sfgp.com.tw	6%



3. 已經用篩選條件設定「排除比3%還小的來源不比對」(如右圖)，為什麼比對來源列表還是會如下圖出現 <3% 的項目？



若要確認報告是否正確排除相似來源，建議至「所有資源」視窗瀏覽相似來源列表。此模式為每一個來源與原文全篇文字做單一相似來源比較（請參閱常見問題 2）；而「相符處總覽」模式下的相似來源因為有作最佳化處理，相似來源間可能因彼此含有重複字詞故無法以篩選條件排除，新的結果需要回到「所有資源」查看，即可發現 <3% 的來源皆已被排除。





#### 4. 我的報告畫面和其他同學的都不一樣，是什麼原因呢？該如何解決？



The screenshot shows the iThenticate report interface. At the top, it displays 'REPORT01' for user 'Veronique DAI', dated '2018年5月31日 上午9:08:33', with '3,789 words - 28 matches - 16 sources'. A similarity index of '12%' is shown in a blue box. Below this, there are navigation options like '不會引用資料', '不會參考書目', '排除小的來源', and '排除小型相似性'. A large orange arrow points to a '下載純文字報告' (Download Plain Text Report) button. The main content area shows a snippet of text with a red highlight and a '1' in a box. To the right, a list of sources is displayed, including 'web.ntnu.edu.tw', 'www.ntnu.edu.tw', 'art.tnua.edu.tw', 'aof.revues.org', 'www.giect.ntnu.edu.tw', 'www.tram.research.com', and 'theses.gla.ac.uk'.

當您的文稿使用特殊編排格式（如縮排、插入橫向頁面）、或包含大量的圖片、表格，可能會干擾 iThenticate 判讀，故無法產生一般您所見的原創性報告畫面，文件會改以「純文字報告模式」開啟，於此模式下亦可檢視各相似來源相似的文字與所佔的百分比。如需下載純文字報告，請點選右方下載圖示，下載 HTML 格式的相似度報告。

另外建議移除以上可能會干擾判讀的因素，將文字部分另存為 RTF 或 TXT 檔，重新上傳檢測，應能獲得一般的原創性報告畫面。

關於更多常見問題，敬請參考 iThenticate Q&A 專區 <http://www.igroup.com.tw/ithenticate/faq/>

